AUGMENTED REALITY WITH KINECT WANG RUI Tutorial

Start here learn the Kinect API: Your comprehensive guide to mastering Kinect development

The Kinect sensor revolutionized the way developers and enthusiasts interact with computers by enabling natural motion tracking, voice recognition, and gesture control. If you're interested in building innovative applications or exploring the full potential of the Kinect hardware, understanding the Kinect API is essential. This guide aims to provide a detailed, structured overview of the Kinect API, from the basics to advanced techniques, so you can start your journey confidently. Whether you're a beginner or an experienced developer, this article will equip you with the knowledge needed to harness the power of Kinect.

What is the Kinect API?

The Kinect API refers to the set of programming interfaces provided by Microsoft that allow developers to integrate Kinect sensor data into their applications. It provides access to various features of the Kinect hardware, including depth sensing, skeletal tracking, facial recognition, and voice commands.

Key Features of the Kinect API:

- Depth data acquisition
- Skeletal and body tracking
- Face detection and recognition
- Voice recognition and command processing
- Gesture recognition
- Audio input and processing

Understanding these core features is crucial for creating interactive applications that respond to user movements, gestures, and voice commands.

Versions of the Kinect API

Microsoft has released different versions of the Kinect hardware and corresponding APIs, each with unique capabilities:

Kinect for Xbox 360 (Kinect SDK 1.8)

- Supports basic skeletal tracking
- Limited gesture recognition
- Compatible primarily with Windows via SDK

Kinect for Windows v2 (Kinect for Xbox One)

- Improved depth sensing and skeletal tracking
- Higher resolution and frame rate
- Supports more complex gestures and facial recognition
- SDK version 2.x

Azure Kinect DK

- Advanced depth sensing with higher accuracy
- Additional sensors, including a color camera and microphone array
- Uses Azure Kinect SDK

Choosing the right API version depends on your target hardware and application requirements.

Prerequisites for Using the Kinect API

Before diving into development, ensure you have the following:

- Compatible Hardware: Kinect sensor (Xbox 360, Xbox One, or Azure Kinect DK)
- Development Environment:
- Windows OS (Windows 8 or later recommended)
- Visual Studio (2015 or later)
- SDK Installation:
- Kinect SDK (version matching your hardware)
- Optional: Kinect for Windows SDK, SDK extensions
- Additional Tools:
- Kinect SDK Samples
- NuGet packages for easier integration

Setting Up Your Development Environment

Installing the Kinect SDK

- Download the correct SDK version from Microsoft's official website.
- Run the installer and follow the prompts.
- Connect your Kinect sensor to your PC.
- Verify the installation by opening the Kinect Configuration Verifier tool.

Configuring Visual Studio

- Create a new C or C++ project.
- Add references to the Kinect SDK assemblies or DLLs.
- Install necessary NuGet packages if available (e.g., Kinect SDK for .NET).

Testing the Setup

- Run sample applications provided with the SDK.
- Ensure the sensor is recognized and data streams are functioning.

Understanding the Kinect API Architecture

The Kinect API architecture revolves around several key components:

- Sensor Data Streams

- Color Stream: RGB video feed.
- Depth Stream: Distance data from sensor to objects.
- Infrared Stream: IR data useful in low-light conditions.
- Body Frame: Skeletal tracking data.

- Data Processing Pipelines

- Data is captured asynchronously.
- Developers can subscribe to data events.
- Data is processed to interpret gestures, gestures, or facial features.

- Coordinate Mapping

- Converts between depth, color, and camera space.
- Essential for overlaying skeletal data onto video feeds or integrating multiple sensors.

Understanding these components helps in designing efficient applications.

Core Features of the Kinect API

Skeletal Tracking

One of the most popular features, skeletal tracking enables applications to recognize and interpret user movements.

- Tracks up to six users simultaneously (depending on hardware).
- Provides joint positions, orientations, and tracking states.
- Enables gesture-based controls and interactive experiences.

Facial Recognition and Tracking

- Detects faces within the frame.
- Tracks facial features.
- Recognizes expressions and identities (requires additional processing).

Voice Recognition

- Captures audio input.
- Uses speech-to-text processing.
- Recognizes predefined commands for hands-free operation.

Gesture Recognition

- Detects predefined gestures (e.g., wave, thumbs up).
- Can be customized for specific applications.

Developing with the Kinect API: Step-by-Step

- Initialize the Kinect Sensor

```csharp
using Microsoft.Kinect;
KinectSensor sensor = KinectSensor.GetDefault();
sensor.Open();
```

- Enable Data Streams

```csharp
// Color stream
sensor.OpenColorFrameReader();
// Depth stream
sensor.OpenDepthFrameReader();
// Body (skeletal) stream
BodyFrameReader bodyFrameReader = sensor.BodyFrameSource.OpenReader();
```

- Handle Frame Data

Register event handlers or polling mechanisms:

```csharp
bodyFrameReader.FrameArrived += BodyFrameArrived;
private void BodyFrameArrived(object sender, BodyFrameArrivedEventArgs e)
```

```
{
using (var frame = e.FrameReference.AcquireFrame())
{
if (frame != null)
{
Body[] bodies = new Body[frame.BodyFrameSource.BodyCount];
frame.GetAndRefreshBodyData(bodies);
// Process body data
}
}
}
```

- Process Skeletal Data

Loop through bodies to find tracked users and extract joint data:

```csharp
foreach (var body in bodies)
{
if (body.IsTracked)
{
var handRight = body.Joints[JointType.HandRight];
```

```
// Use joint data to control application

}

}
```

- Map Coordinates

Convert depth points to color space for overlay:

```csharp
ColorSpacePoint colorPoint =
sensor.CoordinateMapper.MapCameraPointToColorSpace(depthPoint);
```

- Implement Gesture and Voice Recognition

Use built-in recognizers or develop custom algorithms:

```csharp
// Example: Recognize a waving gesture based on hand movement
```

Best Practices for Kinect API Development

- Optimize Data Handling: Process frames asynchronously to prevent UI blocking.
- Manage Sensor Resources: Properly open and close sensor streams.
- Use SDK Samples: Leverage sample projects for rapid prototyping.
- Implement Error Handling: Detect and handle sensor disconnections or errors.
- Test in Various Environments: Ensure robustness under different lighting and user conditions.

Applications Built Using the Kinect API

The versatility of the Kinect API has enabled diverse applications, including:

- Interactive Gaming: Motion-controlled games like Kinect Sports.
- Physical Therapy: Monitoring exercises and providing real-time feedback.
- Virtual Reality & Augmented Reality: Gesture-based navigation.
- Sign Language Recognition: Translating gestures into text.
- Retail & Advertising: Interactive displays responding to user gestures.
- Robotics: Enhancing robot perception and interaction.

Challenges and Limitations of the Kinect API

While powerful, working with the Kinect API presents some challenges:

- Lighting Dependence: Infrared sensors can be affected by ambient light.
- Sensor Range: Limited to certain distances (e.g., 0.8m to 4m).
- Occlusion Issues: Obstructed joints or gestures may not be detected reliably.
- Hardware Compatibility: Requires specific Kinect hardware versions.
- Processing Power: High data processing demands can impact performance.

Being aware of these limitations helps in designing more robust applications.

Future of Kinect Development

With the advent of Azure Kinect DK and AI-powered solutions, Kinect development is evolving. Microsoft emphasizes cloud integration, machine learning, and more accurate sensors, opening new possibilities for immersive and intelligent applications.

Emerging trends include:

- Integration with Azure AI services
- Enhanced gesture and emotion recognition
- Use in smart environments and IoT applications
- Combining Kinect with other sensors for richer data

Summary and Resources

Mastering the Kinect API unlocks a world of interactive possibilities, from gaming to healthcare. To get started:

- Install the appropriate SDK for your hardware
- Explore official documentation and sample projects
- Experiment with skeletal, facial, and voice data
- Join developer communities for support and inspiration

Useful Resources:

- [Microsoft Kinect SDK Documentation](https://docs.microsoft.com/en-us/azure/kinect-dk/)
- [Kinect SDK Samples](https://github.com/Microsoft/KinectSDK)
- [Community Forums and Support](https://social.msdn.microsoft.com/Forums/en-US/home)

By understanding the core components and capabilities of the Kinect API, you can develop innovative applications that leverage natural user interactions, making technology more accessible and engaging.

Start here learn the Kinect API is the first step towards creating compelling, gesture-based, and voice-controlled experiences. Embrace the technology, explore its features, and innovate beyond traditional input methods. Happy coding!

Start Here: Learn the Kinect API

The Kinect API has been a game-changer in the realm of motion sensing and interactive applications since its debut. Originally developed for the Xbox 360 and later adapted for Windows, the Kinect API unlocks a world of possibilities for developers, researchers, and hobbyists eager to harness gesture recognition, depth sensing, and body tracking technologies. If you're new to the Kinect API or looking to deepen your understanding, this comprehensive guide offers an in-depth exploration of what it entails, how to get started, and the potential it holds for innovative projects.

Understanding the Kinect API: An Overview

The Kinect API is a set of programming interfaces that allow developers to access and manipulate the hardware capabilities of the Kinect sensor. It offers tools for capturing depth data, color images, audio, and skeletal tracking information. This API is integral to creating applications that respond to human gestures, recognize poses, or analyze movement patterns.

Key Features of the Kinect API:

- Depth Sensing: Provides real-time depth maps of the environment, enabling applications to perceive 3D space.

- Skeleton Tracking: Detects and tracks human body joints, allowing for detailed motion analysis.
- Color Stream: Access to high-resolution color images from the RGB camera.
- Audio Processing: Captures and processes audio input, including voice commands and sound localization.
- Facial Recognition: (Available in later SDK versions) Enables face detection and recognition.

The API is designed to be accessible for developers with varying levels of experience, offering both high-level abstractions and low-level controls.

Getting Started with the Kinect API

Embarking on your Kinect development journey involves understanding the prerequisites, setting up your environment, and familiarizing yourself with the SDK components.

Prerequisites and Hardware Compatibility

Before diving into coding, ensure you have:

- A compatible Kinect sensor (Kinect for Xbox 360, Kinect for Xbox One with adapter, or Kinect for Windows v2).
- A Windows PC with appropriate specifications:
- For Kinect v1: Windows 7 or later.
- For Kinect v2: Windows 8.1 or later.
- An available USB 3.0 port (for Kinect v2).
- The latest Kinect SDK installed.

Note: The Kinect SDKs are platform-specific, with separate versions for v1 and v2. Verify compatibility based on your sensor.

Installing the Kinect SDK

- Download the SDK: Visit the official Microsoft download page for the Kinect SDK v1 or v2.
- Follow installation instructions: Run the installer and complete the setup.
- Test the sensor: Use the provided tools to verify the sensor functions correctly before starting development.

Development Environment Setup

Most Kinect projects are developed using Visual Studio (2012, 2013, or later). Set up your

environment:

- Install Visual Studio with the necessary workloads.
- Add references to Kinect SDK assemblies:
- `Microsoft.Kinect.dll` is the primary assembly used for development.
- Create a new project (Console App, WPF, or UWP depending on your target application).

Exploring the Kinect SDK Components

The Kinect SDK provides several core classes and namespaces that facilitate interaction with the sensor.

The Main Classes

- KinectSensor: Represents the physical sensor device. It manages data streams and provides access to sensor properties.
- SkeletonFrameReader / BodyFrameReader: Reads skeletal tracking data, including joint positions.
- ColorFrameReader: Accesses color image data.
- DepthFrameReader: Retrieves depth maps.
- AudioSource / AudioBeamFrameReader: Handles audio input and processing.

Sample Workflow Overview

A typical Kinect application follows these steps:

- Initialize the sensor.
- Open data streams (color, depth, skeleton, audio).
- Register event handlers or polling mechanisms.
- Process incoming frames to extract meaningful data.
- Use this data to drive application logic (e.g., gesture recognition).
- Properly dispose of resources upon termination.

Developing with the Kinect API: A Step-by-Step Guide

Let's walk through creating a simple application that tracks a person's skeleton and displays joint positions.

1. Initialize the Kinect Sensor

```csharp
// Import necessary namespaces
using Microsoft.Kinect;
KinectSensor sensor = KinectSensor.GetDefault();
sensor.Open();
```

This code initializes the default sensor and starts it.

2. Set Up Skeleton Tracking

```csharp
var bodyFrameReader = sensor.BodyFrameSource.OpenReader();
bodyFrameReader.FrameArrived += BodyFrameArrived;
void BodyFrameArrived(object sender, BodyFrameArrivedEventArgs e)
{
using (var frame = e.FrameReference.AcquireFrame())
{
if (frame != null)
{
Body[] bodies = new Body[frame.BodyFrameSource.BodyCount];
frame.GetAndRefreshBodyData(bodies);
foreach (var body in bodies)
```

```
{

if (body != null && body.IsTracked)

{

// Access joint data

var handRight = body.Joints[JointType.HandRight];

Console.WriteLine($"Right Hand Position: {handRight.Position}");

}

}

}

}

}
```

This snippet demonstrates capturing body data and retrieving joint positions in real-time.

3. Accessing Color and Depth Data

```csharp
var colorFrameReader = sensor.ColorFrameSource.OpenReader();

colorFrameReader.FrameArrived += ColorFrameArrived;

void ColorFrameArrived(object sender, ColorFrameArrivedEventArgs e)

{

using (var frame = e.FrameReference.AcquireFrame())

{
```

```
if (frame != null)

{

byte[] pixels = new byte[frame.FrameDescription.Width frame.FrameDescription.Height 4];

frame.CopyConvertedFrameDataToArray(pixels, ColorImageFormat.Bgra);

// Process or display the color data

}

}

}
```

Similarly, depth data can be accessed via `DepthFrameSource`.

Advanced Features and Use Cases

Beyond basic skeleton tracking, the Kinect API enables a multitude of advanced applications:

Gesture Recognition

Developing gesture-based controls involves detecting specific body movements. By analyzing joint trajectories and thresholds, applications can interpret gestures such as wave, thumbs-up, or complex sequences.

Implementation Tips:

- Use state machines to track gesture phases.
- Apply smoothing filters to reduce jitter.
- Combine multiple joint data for robust recognition.

Facial and Expression Analysis

While not as sophisticated as dedicated facial recognition systems, the Kinect SDK offers facial detection and tracking. This can be utilized in applications like emotion recognition or user

identification.

Interactive Installations and Gaming

The real-time body tracking and gesture detection capabilities make Kinect ideal for immersive experiences, interactive art installations, and innovative gaming controls.

Research and Rehabilitation

Healthcare professionals leverage Kinect's depth and skeletal data for physical therapy, movement analysis, and remote monitoring.

Limitations and Considerations

While the Kinect API is powerful, it's essential to understand its limitations:

- Sensor Range and Accuracy: Works optimally within specific distances (~1.2m to 3.5m for v2). Accuracy diminishes at the edges.
- Lighting Conditions: Depth sensing can be affected by environmental lighting or reflective surfaces.
- Processing Power: Real-time processing of high data volume requires sufficient hardware resources.
- Platform Support: SDKs are Windows-centric; cross-platform development requires additional layers or alternative libraries.

Community Resources and Further Learning

The Kinect developer community is vibrant, offering numerous tutorials, open-source projects, and forums:

- Official Microsoft Documentation: Comprehensive guides and API references.
- Open-Source Libraries: Projects like Nuitrack, OpenNI, or libfreenect extend Kinect capabilities.
- Community Forums: Stack Overflow, Kinect for Windows forums, Reddit communities.
- Sample Projects: GitHub repositories demonstrating gesture recognition, skeletal tracking, and more.

Conclusion: Embrace the Kinect API for Innovation

Learning the Kinect API opens a gateway to creating interactive, immersive, and intelligent

applications. From gesture controls to physical therapy, the possibilities span entertainment, research, and beyond. While initial setup and understanding require effort, the richness of the SDK and community support make it a worthwhile endeavor.

Starting with foundational knowledge?understanding sensor initialization, data streams, and skeletal tracking?sets the stage for more complex projects. As you explore further, experimenting with real-time data processing, integrating AI models, and customizing interaction paradigms will elevate your applications to new heights.

Whether you're a hobbyist eager to experiment or a developer aiming to revolutionize user interaction, mastering the Kinect API offers a powerful toolkit to turn vision into reality. Dive in, explore the depths of the SDK, and start building the future of human-computer interaction today.

QuestionAnswer What is the Kinect API and how can I start learning it? The Kinect API allows developers to access data from the Kinect sensor, such as skeletal tracking, gestures, and depth information. To start learning it, begin with official Microsoft documentation, set up the SDK, and explore tutorials on basic sensor data processing. Which programming languages are supported for developing with the Kinect API? The Kinect API primarily supports C and C++ through the SDK. Some community-developed wrappers also enable use with other languages like Python or Java, but C and C++ are the most straightforward options. What are the basic steps to set up the Kinect SDK for development? First, ensure your Kinect sensor is compatible and connected to your PC. Download and install the Kinect for Windows SDK from Microsoft's official website. Then, connect your device, verify device drivers are installed, and start exploring sample projects or tutorials to familiarize yourself with the API. Can I use the Kinect API for developing games or interactive applications? Yes, the Kinect API is widely used for creating interactive applications and games that utilize body tracking, gestures, and voice commands. Many developers use it with game engines like Unity or Unreal Engine to build immersive experiences. What are some common challenges when starting with the Kinect API? Common challenges include dealing with sensor calibration, optimizing performance for real-time tracking, understanding skeletal data structure, and handling various lighting or environment conditions that affect sensor accuracy. Starting with official samples and community forums can help overcome these issues. Are there alternative libraries or tools to learn the Kinect API more easily? Yes, tools like OpenKinect libfreenect or third-party wrappers can simplify development and provide cross-platform support. Additionally, platforms like Unity have dedicated plugins and assets that make integrating Kinect data easier for interactive and game development.

Related keywords: Kinect SDK, Kinect development, Kinect programming, Kinect API tutorial, Kinect sensor integration, Kinect motion tracking, Kinect body tracking, Kinect SDK setup, Kinect app development, Kinect programming guide

programming with the kinect for windows software d

Programming with the Kinect for Windows Software Development Kit (SDK)

The Kinect for Windows Software Development Kit (SDK) has revolutionized the way developers approach human-computer interaction, offering a powerful toolset to create compelling applications that utilize motion sensing, depth perception, and voice recognition. If you're interested in developing innovative applications using Kinect hardware, understanding how to program with the Kinect for Windows SDK is essential. This article provides an in-depth overview of the SDK, its features, programming techniques, and best practices to help you harness the full potential of Kinect in your projects.

Introduction to the Kinect for Windows SDK

The Kinect for Windows SDK is a comprehensive development platform that enables programmers to build applications capable of sensing user gestures, tracking body movements, and interpreting voice commands. Released by Microsoft, it integrates with popular development environments such as Visual Studio, supporting languages like C and C++.

Key Features of the Kinect SDK:

- Depth sensing for 3D perception
- Skeleton tracking for full-body motion capture
- Audio input and voice recognition capabilities
- Color camera data for visual feedback
- Gesture recognition for natural user interfaces

Programming with the Kinect SDK allows developers to create interactive applications across various domains, including gaming, healthcare, robotics, education, and more.

Prerequisites for Kinect SDK Development

Before diving into programming, ensure you have the following:

Hardware Requirements

- Kinect for Windows sensor (V1 or V2, depending on SDK version)
- A compatible Windows PC (Windows 7, 8, or 10)

- USB 3.0 port for Kinect V2 (if applicable)

Software Requirements

- Visual Studio (2012, 2013, 2015, or later)
- Kinect for Windows SDK (version 1.8, 2.0, or latest)
- Optional: Kinect SDK samples and documentation

Getting Started with Programming the Kinect SDK

Once your hardware and software are ready, follow these steps to start programming:

- Install the Kinect SDK and necessary drivers.
- Create a new project in Visual Studio.
- Reference the Kinect SDK libraries in your project.
- Initialize the Kinect sensor in code.
- Implement event handlers to process sensor data.
- Build and run your application, testing different functionalities.

Understanding the Core Components of the Kinect SDK

The SDK provides several core classes and data streams that serve as the foundation for application development.

The KinectSensor Class

This class manages the connection to the Kinect hardware. It allows you to start and stop data streams such as color, depth, and skeleton tracking.

```csharp

KinectSensor sensor = KinectSensor.GetDefault();

sensor.Open();

```

Data Streams

- Color Stream: Captures RGB images from the Kinect's camera.
- Depth Stream: Provides depth information in millimeters.
- Skeleton Stream: Tracks the positions of user joints in 3D space.
- Audio Stream: Handles microphone input and voice commands.

Frame Readers and Event Handlers

Each data stream has a corresponding frame reader that raises events when new data is available. For example:

```csharp

sensor.OpenMultiSourceFrameReader(FrameSourceTypes.Color | FrameSourceTypes.Depth | FrameSourceTypes.Body);

```

You can then subscribe to frame arrival events to process data in real time.

Programming Techniques with Kinect SDK

To develop effective Kinect applications, it's essential to understand key programming techniques.

Skeleton Tracking and Body Recognition

Skeleton tracking enables applications to detect and interpret user gestures and postures.

Steps:

- Enable skeleton tracking in your sensor initialization.
- Subscribe to the `BodyFrameArrived` event.
- Extract body data and identify tracked users.
- Use joint positions to recognize gestures, such as waving or pointing.

```csharp

foreach (var body in bodies)

{
```

```
if (body.IsTracked)

{

// Access joint data, e.g., hand position

var handRight = body.Joints[JointType.HandRight].Position;

}

}
```

Gesture Recognition

Implement custom gesture recognition by analyzing joint movements over time. For example, detecting a swipe gesture involves tracking hand position across frames.

Basic logic:

- Record hand position at each frame.
- Detect significant horizontal movement within a timeframe.
- Trigger application responses upon gesture detection.

Voice Recognition Integration

Kinect SDK supports speech recognition, allowing voice commands to control applications.

Implementation steps:

- Initialize the `SpeechRecognizer`.
- Load grammar files with expected commands.
- Handle speech recognition events to execute actions.

```csharp
speechRecognizer.SpeechRecognized += SpeechRecognizedHandler;
```

```

## Developing Interactive Applications with Kinect

Kinect's capabilities open numerous possibilities for creating engaging user experiences.

### Sample Application Ideas:

- Fitness and exercise tutorials that respond to user movements
- Interactive displays in museums or exhibitions
- Touchless control systems for medical or industrial environments
- Educational games that teach through physical interaction
- Rehabilitation tools for physical therapy

## Best Practices for Kinect Programming

To ensure robust and user-friendly applications, consider the following best practices:

- Implement error handling for sensor disconnections or hardware issues.
- Optimize data processing to maintain real-time responsiveness.
- Use smoothing filters to reduce jitter in skeleton data.
- Design intuitive gesture sets that are easy to perform.
- Test applications across different user postures and environments.

## Challenges and Limitations

While Kinect offers powerful features, developers should be aware of potential challenges:

- Sensor Limitations: Sensitive to lighting conditions and background clutter.
- Processing Power: Real-time data processing can be demanding.
- User Comfort: Ensure gestures are natural and comfortable.
- Compatibility: Hardware and SDK versions may impact development.

## Future of Kinect Programming

Microsoft continues to evolve the Kinect platform, integrating it with Azure services and AI capabilities. Developers can leverage cloud-based processing, machine learning models, and advanced analytics to create smarter, more responsive applications.
```

Conclusion

Programming with the Kinect for Windows SDK unlocks a world of interactive possibilities, enabling developers to create engaging, natural user interface experiences. By understanding the core components?such as sensor management, data streams, skeleton and gesture recognition, and voice commands?and applying best practices, you can build innovative applications across numerous domains. As technology advances, the Kinect platform remains a versatile tool for developing immersive and intuitive human-computer interactions.

Whether you are a seasoned developer or new to motion-based programming, exploring Kinect SDK development offers a rewarding journey into the future of natural interfaces. Start experimenting today, and bring your ideas to life with the power of Kinect.

Programming with the Kinect for Windows Software Development Kit (SDK) provides developers with a powerful platform to create innovative applications that leverage depth sensing, body tracking, and gesture recognition. Originally launched by Microsoft, the Kinect SDK has evolved over the years into a versatile toolkit that opens up a world of possibilities for developers interested in human-computer interaction, gaming, healthcare, robotics, and more. This article delves into the core features of the Kinect for Windows SDK, explores how to set up a development environment, and offers practical insights into building compelling applications with this technology.

Understanding the Kinect for Windows SDK

The Kinect for Windows SDK is a comprehensive software suite that enables developers to harness the hardware's advanced sensors and processing capabilities. It provides APIs and tools to access data streams such as color images, depth maps, skeleton tracking, and audio inputs. The SDK is designed to facilitate the integration of Kinect?s features into custom applications, whether for research, entertainment, or enterprise solutions.

Key Features of the SDK include:

- Depth and Color Data Access: Capture real-time depth data and high-definition color streams for visualization or analysis.
- Skeleton Tracking: Detect and track human body joints with high accuracy, enabling gesture and pose recognition.
- Gesture Recognition: Define and recognize custom gestures for intuitive control schemes.
- Audio Processing: Incorporate microphone array data for voice commands and sound localization.
- Calibration and Coordinate Mapping: Convert between different coordinate spaces for precise interaction mapping.

The SDK supports several programming languages, most notably C, C++, and Visual Basic, making it accessible to a wide range of developers.

Setting Up the Development Environment

Before diving into coding, setting up a proper development environment is crucial. The process involves hardware considerations, software installation, and configuration steps.

Hardware Requirements

- Compatible Kinect Sensor: The original Kinect for Xbox 360, Kinect for Windows v1, or Kinect for Xbox One (with adapter) are supported.
- A Compatible PC: Windows 8, 8.1, or 10 with sufficient processing power (at least a dual-core CPU, 4GB RAM recommended).
- USB Port: USB 3.0 is preferred for Kinect for Xbox One; USB 2.0 may suffice for earlier models.

Software Installation

- Download the SDK: Visit the official Microsoft Kinect SDK download page and select the appropriate version (generally the Kinect SDK 2.0 for Windows v2.0).
- Install the SDK: Follow the installation wizard, which will include drivers, runtime, and sample applications.
- Set Up Development Tools: Use Visual Studio 2015 or later for C or C++ development. Visual Studio Community Edition is freely available and sufficient.
- Test the Hardware: Run sample applications like Skeleton Tracking or Color Capture to verify that the Kinect sensor is functioning correctly.

Additional Libraries and Frameworks

For more advanced applications, consider integrating additional libraries such as:

- OpenCV: For image processing.
- Unity3D: For developing immersive 3D applications and games.
- ROS: For robotics applications.

Core Programming Concepts with Kinect SDK

Developing with the Kinect SDK involves understanding several core programming concepts:

Data Streams and Event Handling

Kinect provides multiple data streams:

- Color Stream: High-definition RGB images.
- Depth Stream: Per-pixel distance measurements.
- Skeleton Stream: Coordinates of tracked human joints.
- Audio Stream: Microphone input for voice commands.

Event-driven programming is central; applications subscribe to data events to process incoming streams in real-time.

Coordinate Mapping

Kinect captures data in different coordinate spaces:

- Depth Space: Raw depth data with pixel coordinates.
- Color Space: RGB image coordinate system.
- Skeleton Space: 3D joint positions in meters.

Converting between these spaces is essential for accurate interaction mapping?for example, overlaying a skeleton onto a color image.

Handling Skeleton Data

Skeleton tracking provides a set of joint positions with associated confidence levels. Developers typically:

- Detect when a skeleton is being tracked.
- Retrieve joint positions.
- Recognize gestures or poses based on joint configurations.

Gesture and Pose Recognition

While the SDK offers basic skeleton data, custom gesture recognition often involves analyzing joint movements over time. Developers can implement algorithms like:

- State machines.
- Machine learning classifiers.
- Rule-based systems.

This flexibility allows for creating intuitive control schemes, such as waving a hand to initiate an action.

Building a Basic Application: Skeleton Tracking Example

To illustrate practical application, consider building a simple skeleton tracking app in C. The steps include:

- Initialize the Kinect Sensor

```csharp
KinectSensor sensor = KinectSensor.GetDefault();

sensor.Open();
```

- Open the Skeleton Frame Reader

```csharp
var reader = sensor.BodyFrameSource.OpenReader();

reader.FrameArrived += BodyFrameArrived;
```

- Process Skeleton Data

```csharp
private void BodyFrameArrived(object sender, BodyFrameArrivedEventArgs e)
```

```
{
using (var frame = e.FrameReference.AcquireFrame())
{
if (frame != null)
{
Body[] bodies = new Body[frame.BodyFrameSource.BodyCount];
frame.GetAndRefreshBodyData(bodies);
foreach (var body in bodies)
{
if (body != null && body.IsTracked)
{
// Access joint data
var handRight = body.Joints[JointType.HandRight];
// Additional logic here
}
}
}
}
}
```

- Visualize and Respond

Using WPF or WinForms, draw skeleton joints or trigger events based on joint positions.

Advanced Applications and Use Cases

The versatility of the Kinect SDK facilitates a wide range of advanced applications:

- Interactive Installations: Gesture-based control interfaces in museums or exhibitions.
- Physical Therapy: Monitoring patient movements and providing real-time feedback.
- Gaming: Creating immersive, motion-controlled game experiences.
- Robotics: Enabling robots to interpret human gestures and respond accordingly.
- Research: Studying human movement patterns or social interactions.

Custom Gesture Recognition

Developers can implement custom gestures such as:

- Hand waves.
- Claps.
- Specific limb configurations.

This often involves analyzing temporal sequences of joint positions, which can be achieved through pattern recognition algorithms or machine learning techniques.

Combining Kinect Data with Other Sensors

For richer interaction, Kinect data can be integrated with other sensors:

- Depth cameras for enhanced spatial awareness.
- Wearables for physiological data.
- Environmental sensors for context-aware applications.

Challenges and Limitations

While the Kinect SDK opens exciting opportunities, developers should be aware of certain limitations:

- Lighting and Environment Sensitivity: Poor lighting or reflective surfaces can affect sensor accuracy.
- Occlusion Issues: Body parts occluding each other can disrupt skeleton tracking.
- Hardware Constraints: Not all PCs support the Kinect hardware requirements optimally.
- Limited Range: Effective tracking typically occurs within 1 to 3 meters.
- Data Processing Needs: Real-time processing demands efficient algorithms and hardware.

Despite these challenges, the SDK continues to be a valuable tool for prototyping and deploying innovative human-computer interaction solutions.

Future Prospects and Evolving Technologies

Microsoft has shifted focus towards Azure Kinect and other advanced sensors, but the core principles learned through the Kinect SDK remain relevant. Developers exploring new hardware can leverage experience gained from Kinect development to adapt to emerging platforms, such as:

- Azure Kinect DK: Offers higher resolution and better depth sensing.
- Leap Motion: For finger and hand tracking.
- Intel RealSense: Depth sensing in various form factors.

The foundational knowledge of sensor integration, data stream management, and gesture recognition remains applicable across these evolving technologies.

Conclusion

Programming with the Kinect for Windows SDK is a gateway to creating interactive applications that respond to human movement and gestures in real-time. Its rich set of APIs, combined with the sensor?s capabilities, empowers developers to innovate across diverse domains?from gaming and entertainment to healthcare and research. While challenges exist, the SDK?s comprehensive features and active community support make it a compelling platform for exploring human-computer interaction.

As technology advances, the skills and insights gained from Kinect development will continue to underpin new innovations in immersive computing and intelligent environments. Whether you?re a hobbyist, researcher, or professional developer, understanding how to harness the Kinect SDK opens up a world of creative possibilities for engaging, responsive, and human-centered applications.

QuestionAnswer What are the key features of Programming with Kinect for Windows SDK D? The SDK D offers advanced depth sensing, skeletal tracking, facial recognition, and speech

recognition capabilities, enabling developers to create immersive motion-based applications with high accuracy and responsiveness. Which programming languages are supported for Kinect for Windows SDK D development? The SDK supports popular languages such as C++, C, and Visual Basic, allowing developers to build applications across different platforms and frameworks like .NET and UWP. How can I access skeletal tracking data using Kinect for Windows SDK D? You can access skeletal tracking data by subscribing to the SkeletonFrameReady event, which provides real-time joint positions and animations for detected users, enabling gesture-based controls and interactions. What are common challenges when developing with Kinect for Windows SDK D and how can I overcome them? Common challenges include lighting conditions affecting sensor accuracy and handling multiple users. To overcome these, ensure proper environmental setup, optimize sensor placement, and implement user filtering techniques for reliable tracking. Can Kinect for Windows SDK D be integrated with Unity or Unreal Engine? Yes, there are plugins and SDK wrappers available that facilitate integration of Kinect SDK D with Unity and Unreal Engine, enabling the development of 3D applications, games, and interactive experiences. What are some innovative application ideas using Kinect for Windows SDK D? Innovative applications include virtual fitness trainers, gesture-controlled presentation tools, interactive art installations, physical therapy systems, and immersive training simulations leveraging real-time motion capture. Where can I find resources and community support for programming with Kinect for Windows SDK D? Official Microsoft documentation, developer forums like Stack Overflow, GitHub repositories, and specialized communities such as the Kinect for Windows Developer Group are valuable resources for support, tutorials, and sharing projects.

Related keywords: Kinect for Windows, motion sensing, gesture recognition, body tracking, SDK, depth camera, computer vision, visual programming, sensor integration, Xbox Kinect development

Read the full article online: Programming With The Kinect For Windows Software D

Learn the kinect api start here

learn the kinect api start here if you're interested in developing innovative applications involving motion sensing, gesture recognition, or interactive gaming. The Kinect API (Application Programming Interface) provides developers with a powerful set of tools to harness the full potential of Microsoft's Kinect sensor. Whether you're a beginner or an experienced developer, understanding the fundamentals of the Kinect API is essential to creating engaging, real-time interactive experiences. In this comprehensive guide, we will explore everything you need to know to get started with the Kinect API, including setup, key features, programming tips, and best practices.

Understanding the Kinect API: An Introduction

The Kinect API is a software interface that allows developers to communicate with and control the Kinect hardware. It exposes a range of functionalities including depth sensing, skeletal tracking, facial recognition, and audio processing. The API is primarily designed for Windows-based systems and integrates seamlessly with development environments like Visual Studio.

Key features of the Kinect API include:

- Depth data acquisition
- Skeletal tracking and joint position detection
- Facial recognition and expression analysis
- Audio source localization and speech recognition
- Gesture detection and hand tracking

Getting familiar with these core capabilities is foundational for building applications that leverage Kinect's full potential.

Prerequisites for Starting with the Kinect API

Before diving into development, ensure you have the necessary hardware and software setup:

Hardware Requirements

- Kinect sensor (Kinect for Xbox 360 or Kinect for Xbox One with adapter)
- Compatible Windows PC (Windows 7, 8, or 10)
- USB 3.0 port (for Kinect v2)
- Sufficient processing power and RAM for real-time data processing

Software Requirements

- Windows SDK (Windows SDK 8.1 or later)
- Kinect SDK (Kinect for Windows SDK 2.0 for Kinect v2)
- Visual Studio (2012 or later recommended)
- Optional: Unity or other game engines for advanced applications

Setting Up Your Development Environment

Getting your environment ready is crucial for a smooth development process.

Installing the Kinect SDK

- Download the latest Kinect SDK from the official Microsoft website.
- Run the installer and follow the prompts.
- Connect your Kinect sensor to the PC and verify that Windows recognizes it.

Verifying Hardware Functionality

- Use the Kinect Configuration Verifier tool included with the SDK to check sensor compatibility.
- Test the sensor using the Kinect Studio or sample applications provided.

Setting Up Visual Studio

- Create a new C or C++ project.
- Add references to the Kinect SDK assemblies or libraries.
- Configure project settings to target the appropriate Windows SDK version.

Understanding the Core Components of the Kinect API

The API is structured around several core components that facilitate different functionalities.

Sensors and Data Streams

- Color Stream: Captures RGB images.
- Depth Stream: Provides depth information for each pixel.
- Infrared Stream: Offers infrared video data.
- Body Frame: Tracks human bodies and skeletal joints.
- Audio Stream: Captures sound data for voice commands and spatial audio.

Data Processing and Event Handling

- Use event-driven programming to handle incoming data.
- Use frame readers to access data streams asynchronously.
- Implement callbacks for real-time updates.

Skeletal Tracking

- Detects and tracks human skeletons.
- Provides 3D position data for major joints (hands, elbows, shoulders, etc.).
- Supports gesture recognition and interaction design.

Developing Your First Kinect Application

Starting with a basic application helps you understand the fundamental workflow.

Step-by-Step Guide

- Initialize the Kinect Sensor:

- Detect connected sensors.
- Open the sensor for data streaming.

- Open Data Streams:

- Enable color, depth, and body frame streams.
- Set up frame readers for each stream.

- Handle Incoming Data:

- Register event handlers for frame arrival.
- Process and display data as needed.

- Implement Skeletal Tracking:

- Track body IDs.
- Retrieve joint positions.
- Map 3D coordinates to 2D screen points for visualization.

- Close and Dispose:

- Properly close sensor and free resources when finished.

Sample Code Snippet (C):

```csharp
// Initialize Kinect Sensor
KinectSensor sensor = KinectSensor.GetDefault();
sensor.Open();
// Open Body Frame Reader
BodyFrameReader bodyFrameReader = sensor.BodyFrameSource.OpenReader();
bodyFrameReader.FrameArrived += BodyFrameArrived;
private void BodyFrameArrived(object sender, BodyFrameArrivedEventArgs e)
{
using (var frame = e.FrameReference.AcquireFrame())
{
if (frame != null)
{
Body[] bodies = new Body[frame.BodyFrameSource.BodyCount];
frame.GetAndRefreshBodyData(bodies);
foreach (var body in bodies)
{
if (body != null && body.IsTracked)
{
```

```
// Process skeletal data

}

}

}

}

}
```

Advanced Features and Customizations

Once comfortable with basic functionalities, explore advanced capabilities.

Gesture Recognition

- Recognize predefined gestures such as waving, thumbs up, or custom gestures.
- Use joint positions and movement patterns to identify gestures.
- Implement gesture libraries for more complex interactions.

Facial Recognition and Expression Analysis

- Access facial data to detect emotions or identify users.
- Use facial landmarks to create avatar expressions or user interfaces.

Audio Processing

- Implement voice commands for hands-free control.
- Use spatial audio to enhance interaction realism.

Best Practices for Kinect API Development

To maximize performance and user experience, follow these best practices:

- **Optimize Data Handling:** Process data asynchronously to prevent UI blocking.
- **Manage Resources:** Properly dispose of frame readers and close sensors.
- **Calibration:** Ensure the sensor is well-calibrated for accurate skeletal and facial tracking.
- **Test in Real Environments:** Test applications in the environment where they will be used to account for lighting, space, and user variability.
- **Accessibility:** Design interactions that are inclusive and consider different user abilities.

Common Challenges and Troubleshooting

While working with the Kinect API, you may encounter some issues:

- Sensor Recognition Problems: Ensure drivers are installed correctly and the sensor is connected properly.
- Performance Drops: Optimize data processing and avoid unnecessary computations.
- Tracking Failures: Ensure good lighting conditions and proper sensor placement.
- Compatibility Issues: Verify SDK and hardware compatibility with your system.

Resources and Community Support

To deepen your understanding and get help:

- Official Microsoft Documentation: The definitive resource for Kinect SDK APIs and tutorials.
- Online Forums and Communities: Stack Overflow, Kinect Developer Forums.
- Sample Projects: Explore GitHub repositories with Kinect projects.
- Tutorial Videos: YouTube channels dedicated to Kinect development.
- Books and Courses: Look for comprehensive guides and online courses on Kinect development.

Conclusion: Embark on Your Kinect Development Journey

Learning the Kinect API opens a world of possibilities in interactive media, gaming, healthcare, education, and beyond. Starting with a solid understanding of setup, core components, and basic development workflows equips you to create compelling applications. As you progress, delve into advanced features like gesture and facial recognition, optimize performance, and contribute to innovative projects. The Kinect API is a versatile tool that, with the right knowledge and creativity, can transform how users interact with digital environments.

By following this guide, you are well on your way to mastering the fundamentals of Kinect development. Remember, hands-on experimentation and continuous learning are key to unlocking the full potential of this powerful API. Happy coding!

Learn the Kinect API Start Here: A Comprehensive Guide for Developers and Enthusiasts

If you're venturing into the world of motion sensing and interactive applications, understanding the Kinect API is an essential first step. The Kinect sensor, originally developed by Microsoft for Xbox, has evolved into a powerful tool for developers seeking to create innovative experiences in gaming, healthcare, robotics, and beyond. Whether you're a seasoned programmer or a curious hobbyist, mastering the Kinect API unlocks a world of possibilities, enabling you to harness depth sensing, skeletal tracking, and gesture recognition capabilities. In this guide, we?ll walk you through the foundational concepts, setup procedures, and key features to get you started on your Kinect development journey.

Why Learn the Kinect API?

Before diving into the technical details, it?s worth understanding why the Kinect API remains relevant. The Kinect sensor provides rich data streams, including:

- Depth data: 3D spatial information about the environment
- Color images: Standard RGB video feed
- Skeletal tracking: Real-time tracking of human joints and body posture
- Gesture recognition: Detect and interpret user gestures
- Audio processing: Voice commands and sound localization

These features open doors to creating immersive applications that respond intuitively to user movements, making it a popular choice for research, entertainment, and interactive installations.

Getting Started: Hardware and Software Requirements

Hardware Setup

- Kinect Sensor: Depending on your development environment, you might use Kinect for Xbox 360, Kinect for Xbox One (with the Kinect Adapter for Windows), or Azure Kinect DK.
- PC or Development Environment: Windows-based systems are primarily supported.
- Accessories: USB 3.0 port (for newer Kinect models), power supply, and a compatible computer.

Software Prerequisites

- Operating System: Windows 8 or later
- Development Environment: Visual Studio (2015, 2017, 2019, or 2022 recommended)
- Kinect SDK:
- Kinect for Xbox 360: Kinect SDK 1.8
- Kinect for Xbox One: Kinect SDK 2.0
- Azure Kinect DK: Azure Kinect SDK

Ensure you download and install the correct SDK matching your Kinect hardware. The SDK provides the necessary libraries, samples, and documentation to facilitate development.

Setting Up Your Development Environment

- Install Visual Studio: Choose the edition suitable for your needs (Community, Professional, etc.).
- Download and Install the Kinect SDK:

- For Kinect v1 (Xbox 360): [Microsoft Kinect SDK 1.8](https://www.microsoft.com/en-us/download/details.aspx?id=44561)
- For Kinect v2 (Xbox One): [Kinect for Windows SDK 2.0](https://www.microsoft.com/en-us/download/details.aspx?id=44561)
- For Azure Kinect DK: [Azure Kinect SDK](https://aka.ms/azurekinectsdk)

- Connect the Kinect Sensor: Follow the hardware setup instructions, ensuring proper drivers are installed.
- Test with Sample Applications: Run the SDK's sample programs to verify installation and sensor operation.

Exploring the Kinect API: Core Concepts

- Initialization and Sensor Management

The first step in any Kinect application is initializing the sensor and configuring data streams. The SDK provides classes to manage this process:

- KinectSensor (for v1 and v2): Represents the connected sensor.
- KinectSensor.GetDefault(): Retrieves the default sensor.
- Open(): Starts the sensor.

- Close(): Stops the sensor.

```csharp
var sensor = KinectSensor.GetDefault();

sensor.Open();
```

- Data Streams

The Kinect API exposes several data streams:

- ColorFrameReader: Access to RGB images.
- DepthFrameReader: Access to depth data.
- BodyFrameReader: Skeletal tracking data.
- AudioStream (if supported): Voice commands and sound localization.

Each stream requires creating a reader object and subscribing to frame events.

- Handling Frames and Data

Once the sensor and streams are active, you'll handle incoming frame data via event handlers:

```csharp
sensor.BodyFrameSource.OpenReader().FrameArrived += BodyFrameArrived;
```

In the event handler, you process the frame, extract skeletal data, and update your application accordingly.

Deep Dive: Skeletal Tracking and Gesture Recognition

One of the most compelling features of the Kinect API is skeletal tracking, enabling applications to interpret human movement accurately.

Understanding Skeleton Data

- The API provides a list of Body objects, each with 25 joints.
- Each joint has position data (X, Y, Z) in meters.
- Tracking confidence levels help determine the reliability of each joint's data.

Common Use Cases

- Gesture detection: waving, pointing, specific gestures
- Posture analysis
- Fitness applications

Example: Basic Skeleton Tracking Workflow

- Subscribe to BodyFrameReader events.
- In the event handler, retrieve the list of Body objects.
- For each tracked body, access joint positions.
- Use joint data to recognize gestures or control applications.

```csharp

private void BodyFrameArrived(object sender, BodyFrameArrivedEventArgs e)

{

using (var frame = e.FrameReference.AcquireFrame())

{

if (frame != null)

{

var bodies = new Body[frame.BodyFrameSource.BodyCount];

frame.GetAndRefreshBodyData(bodies);

foreach (var body in bodies)
```

```
{

if (body.IsTracked)

{

var handRightPos = body.Joints[JointType.HandRight].Position;

// Implement gesture logic here

}

}

}

}

}
```

Handling Coordinate Systems and Visualizations

The Kinect SDK provides coordinate mappings between depth, color, and camera spaces. This is critical for aligning skeletal data with visual overlays or spatial interactions.

- CoordinateMapper: Converts points between different coordinate spaces.
- Use this for rendering skeletons over video feeds or for spatially aware applications.

Best Practices and Tips for Effective Development

- Optimize Frame Processing: Handle frame events efficiently to maintain real-time performance.
- Calibrate for Accuracy: Ensure proper sensor placement and calibration.
- Manage Resources: Dispose of frames and readers properly to prevent memory leaks.
- Test with Multiple Users: If supporting multiple bodies, ensure your logic accounts for tracking confidence and occlusions.
- Leverage SDK Samples: Explore official samples and tutorials to understand implementation patterns.

Troubleshooting Common Issues

- Sensor Not Detected: Verify drivers are installed; try reconnecting the device.
- No Data Streams: Ensure streams are properly initialized and started.
- Poor Tracking Quality: Adjust sensor placement, lighting, or background.
- Compatibility Problems: Confirm SDK version matches your hardware and OS.

Resources for Continued Learning

- Official Microsoft Documentation: Detailed API references and guides.
- Sample Projects: Explore open-source projects on GitHub.
- Community Forums: Engage with developer communities for tips and support.
- Tutorial Videos: Visual guides for setup and development.

Final Words: Embarking on Your Kinect Development Journey

Learning the Kinect API start here involves understanding the hardware-software interface, mastering the core data streams, and beginning with simple tracking and gesture recognition projects. As you grow more familiar with the SDK, you'll unlock advanced features like facial recognition, voice commands, and spatial mapping. The key is to experiment, iterate, and leverage the wealth of resources available. With patience and creativity, you can craft compelling interactive experiences that leverage the Kinect?s powerful sensing capabilities.

Happy coding!

QuestionAnswer What is the Kinect API and how can I get started with it? The Kinect API allows developers to access data from the Kinect sensor, such as depth, color, and skeletal tracking. To get started, download the SDK from Microsoft's official website, set up your development environment (Visual Studio), and explore sample projects to understand the fundamentals. Which programming languages are supported for developing with the Kinect API? The Kinect API primarily supports C and C++ through the Kinect SDK. There are also third-party wrappers and libraries that enable development in other languages like Python and Java, but C and C++ are the most well-supported. What are the basic components of the Kinect API I should learn first? Start with understanding depth and color streams, then move on to skeletal tracking, face detection, and gesture recognition. Familiarize yourself with the SDK's classes and methods for accessing sensor data and processing user interactions. Are there any beginner tutorials or resources for learning the Kinect API? Yes, Microsoft provides official tutorials and sample projects on the Kinect for Windows SDK documentation. Additionally, online platforms like YouTube, Udemy, and GitHub host tutorials and open-source projects that can help beginners learn the basics. What are common challenges

faced when starting with the Kinect API? Common challenges include setting up the hardware and SDK correctly, understanding real-time data processing, handling sensor calibration, and optimizing performance for smooth interaction. Troubleshooting device compatibility and driver issues can also be tricky for beginners. Can I use the Kinect API for developing games or interactive applications? Yes, the Kinect API is widely used for creating interactive applications and games that utilize motion tracking, gesture control, and body recognition. It provides tools to develop immersive experiences in various domains like entertainment, education, and research. What hardware do I need to start working with the Kinect API? You need a compatible Kinect sensor (such as Kinect for Xbox 360 or Kinect for Xbox One), a Windows PC with the necessary ports, and a USB connection. Ensure your PC meets the minimum system requirements for the SDK and sensor. Is the Kinect API still actively supported and maintained? Microsoft has shifted focus away from Kinect hardware, but the Kinect for Windows SDK 2.0 is still available for development. Community support and open-source projects continue to keep the API relevant for hobbyists and researchers. What are some practical projects I can build after learning the Kinect API? Practical projects include gesture-controlled media players, body-tracking fitness applications, interactive art installations, sign language recognition systems, and robotics control using body movements. Where can I find community support and forums for Kinect API developers? You can join forums like Stack Overflow, the Microsoft Developer Network (MSDN), and GitHub repositories dedicated to Kinect projects. Online communities and Reddit groups also offer helpful advice and shared experiences for Kinect development.

Related keywords: Kinect API, Kinect development, Kinect SDK, Kinect programming, Kinect sensor integration, Kinect tutorials, Kinect example code, Kinect motion tracking, Kinect depth camera, Kinect SDK guide

Read the full article online: Learn The Kinect Api Start Here